CONTENTS

PART 1 JANUARY 1997

BEJON, P. A., BANNISTER, L. H., FOWLER, R. E., FOOKES, R. E., WEBB, S. E., WRIGHT, A. and MITCHELL, G. H. A role for microtubules in *Plasmodium falciparum* merozoite invasion 1

HERMSEN, C., VAN DE WIEL, T., MOMMERS, E., SAUERWEIN, R. and ELING, W. Depletion of $CD4^+$ or $CD8^+$ T-cells prevents *Plasmodium berghei* induced cerebral malaria in end-stage disease 7

ENTRALA, E., MASCARO, C. and BARRETT, J. Anti-oxidant enzymes in *Cryptosporidium parvum* oocysts 13

DAY, R. E. and GERO, A. M. Stimulated transport of hypoxanthine in *Crithidia luciliae*: relationship to purine stress 19

MATHIS, A., MICHEL, M., KUSTER, H., MÜLLER, C., WEBER, R. and DEPLAZES, P. Two *Encephalitozoon cuniculi* of human origin are infectious to rabbits 29

SCOTT, J. C., STEFANIAK, J., PAWLOWSKI, Z. S. and MCMANUS, D. P. Molecular genetic analysis of human cystic hydatid cases from Poland: identification of a new genotypic group (G9) of *Echinococcus granulosus* 37

GOBERT, G. N., STENZEL, D. J., JONES, M. K., ALLEN, D. E. and MCMANUS, D. P. *Schistosoma japonicum*: immunolocalization of paramyosin during development 45

TIMOTHY, L. M. and BEHNKE, J. M. *Necator americanus* in inbred mice: evidence in support of genetically determined differences in the cellular immune response to a primary infection 53

SATOH, M., TSUKIDATE, S., EISHI, Y., TAMURA, N., YAMAMOTO, K. and FUJITA, K. Suppression of mitogen-induced IL-2Rα expression in PBL by serum from microfilaraemic rats chronically infected with *Brugia pahangi* 65

MODHA, J., ROBERTS, M. C., KENNEDY, M. W. and KUSEL, J. R. Induction of surface fluidity in *Trichinella spiralis* larvae during penetration of the host intestine: simulation by cyclic AMP *in vitro* 71

ROBINSON, M., GUSTAD, T. R. and MEINHARDT, S. Non-specific binding of mouse IgG1 to *Heligmosomoides polygyrus*: parasite homogenate can affinity purify mouse monoclonal antibodies 79

ITO, A., CHUNG, W. C., CHEN, C. C., ITO, M., ENDO, S., OKAMOTO, M. and FAN, P. C. Human *Taenia* eggs develop into cysticerci in *scid* mice 85

PROUDMAN, C. J., HOLMES, M. A., SHEORAN, A. S., EDWARDS, S. E. R. and TREES, A. J. Immunoepidemiology of the equine tapeworm *Anoplocephala perfoliata*: age-intensity profile and age-dependency of antibody subtype responses 89

PART 2 FEBRUARY 1997

MOODY, S., BECKER, S., NUCHAMOWITZ, Y. and MIRELMAN, D. Virulent and avirulent *Entamoeba histolytica* and *E. dispar* differ in their cell surface phosphorylated glycolipids 95

DALTON, J. P., CLOUGH, K. A., JONES, M. K. and BRINDLEY, P. J. The cysteine proteinases of *Schistosoma mansoni* cercariae 105

DE VLAS, S. J., ENGELS, D., RABELLO, A. L. T., OOSTBURG, B. F. J., VAN LIESHOUT, L., POLDERMAN, A. M., VAN OORTMARSSEN, G. J., HABBEMA, J. D. F. and GRYSEELS, B. Validation of a chart to estimate true *Schistosoma mansoni* prevalences from simple egg counts 113

LARDEUX, F. and CHEFFORT, J. Temperature thresholds and statistical modelling of larval *Wuchereria bancrofti* (Filariidea: Onchocercidae) developmental rates 123

NÚÑEZ, P. E., MOLENAAR, M. J., LAGEWEG, W., LI, K. W. and DE JONG-BRINK, M. Excretory–secretory products of *Trichobilharzia ocellata* and their modulating effects on the internal defence system of *Lymnaea stagnalis* 135

LYSNE, D. A., HEMMINGSEN, W. and SKORPING, A. Regulation of infrapopulations of *Cryptocotyle lingua* on cod 145

BOWEN-WALKER, P. L., MARTIN, S. J. and GUNN, A. Preferential distribution of the parasitic mite, *Varroa jacobsoni* Oud. on overwintering honeybee (*Apis mellifera* L.) workers and changes in the level of parasitism 151

KRASNOV, B. R., SHENBROT, G. I., MEDVEDEV, S. G., VATSCHENOK, V. S. and KHOKHLOVA, I. S. Host–habitat relations as an important determinant of spatial distribution of flea assemblages (Siphonaptera) on rodents in the Negev Desert 159

MAJOR, M., WEBB, T. J. and HURD, H. Haemolymph from female beetles infected with *Hymenolepis diminuta* metacestodes retards the development of ovarian follicles in recipient *Tenebrio molitor* (Coleoptera) 175

TEGOSHI, T., OKADA, M., NISHIDA, M. and ARIZONO, N. Early increase of gut intraepithelial mast cell precursors following *Strongyloides venezuelensis* infection in mice 181

WINTER, M. D., WRIGHT, C. and LEE, D. L. The mast cell and eosinophil response of young lambs to a primary infection with *Nematodirus battus* 189

POULIN, R. Egg production in adult trematodes: adaptation or constraint? 195

PART 3 MARCH 1997

DURAISINGH, M. T., DRAKELEY, C. J., MULLER, O., BAILEY, R., SNOUNOU, G., TARGETT, G. A. T., GREENWOOD, B. M. and WARHURST, D. C. Evidence for selection for the tyrosine-86 allele of the *pfmdr* 1 gene of *Plasmodium falciparum* by chloroquine and amodiaquine 205

LAURENT, J.-P., BARNABE, C., QUESNEY, V., NOEL, S. and TIBAYRENC, M. Impact of clonal evolution on the biological diversity of *Trypanosoma cruzi* 213

STAHL, W. and KANEDA, Y. Pathogenesis of murine toxoplasmic hydrocephalus 219

DUNN, A. M. and HATCHER, M. J. Prevalence, transmission and intensity of infection by a microsporidian sex ratio distorter in natural *Gammarus duebeni* populations 231

RHODES, C. J., FOLKARD, S. G., BIANCO, A. E. and ANDERSON, R. M. The kinetics of immunological responses to microfilariae in a murine host: experimental and mathematical studies 237

CUTTS, L. and WILSON, R. A. The protein antigens secreted *in vivo* by adult male *Schistosoma mansoni* 245

NOR, Z. M., HOUSTON, K. M., DEVANEY, E. and HARNETT, W. Variation in the nature of attachment of phosphorylcholine to excretory–secretory products of adult *Brugia pahangi* 257

KONG, Y., KANG, S.-Y., KIM, S. H., CHUNG, Y.-B. and CHO, S.-Y. A neutral cysteine protease of *Spirometra mansoni* plerocercoid invoking an IgE response 263

CHRISTENSEN, C. M., NANSEN, P. and BARNES, E. H. The effect of concurrent or sequential *Oesophagostomum dentatum* and *O. quadrispinulatum* infections on the worm burdens of the two species in pigs 273

ROBERTS, H. C., STERNBERG, J. M. and CHAPPELL, L. H. Characterization of calcineurin from *Hymenolepis microstoma* and *H. diminuta* and its interaction with cyclosporin A 279

AALTONEN, T. M., VALTONEN, E. T. and JOKINEN, E. I. Humoral response of roach (*Rutilus rutilus*) to digenean *Rhipidocotyle fennica* infection 285

SCHALLIG, H. D. F. H. and VAN LEEUWEN, M. A. W. Protective immunity to the blood-feeding nematode *Haemonchus contortus* induced by vaccination with parasite low molecular weight antigens 293

BOHAN, D. A. and HOMINICK, W. M. Long-term dynamics of infectiousness within the infective-stage pool of the entomopathogenic nematode *Steinernema feltiae* (Site 76 strain) Filipjev 301

JONES, J. T., ROBERTSON, L., PERRY, R. N. and ROBERTSON, W. M. Changes in gene expression during stimulation and hatching of the potato cyst nematode *Globodera rostochiensis* 309

PART 4 APRIL 1997

IQBAL, J., SIRIPOON, N., SNOUNOU, V. G., PERLMANN, P. and BERZINS, K. *Plasmodium falciparum*: selection of parasite subpopulations with decreased sensitivity for antibody-mediated growth inhibition *in vitro* 317

HOGG, J. C. and HURD, H. The effects of natural *Plasmodium falciparum* infection on the fecundity and mortality of *Anopheles gambiae s.l.* in north east Tanzania 325

YAN, Y., INUO, G., AKAO, N., TSUKIDATE, S. and FUJITA, K. Down-regulation of murine susceptibility to cerebral malaria by inoculation with third-stage larvae of the filarial nematode *Brugia pahangi* 333

MONTES, J. F., DEL RÍO, J. A., DURFORT, M. and GARCÍA-VALERO, J. The protozoan parasite *Perkinsus atlanticus* elicits a unique defensive response in the clam *Tapes semidecussatus* 339

VAN HELLEMOND, J. J., VAN DER MEER, P. and TIELENS, A. G. M. *Leishmania infantum* promastigotes have a poor capacity for anaerobic functioning and depend mainly on respiration for their energy generation 351

PENTREATH, V. W., ALAFIATAYO, R. A., BARCLAY, G. R., CRAWLEY, B., DOUA, F. and OPPENHEIM, B. A. Endotoxin antibodies in African sleeping sickness 361

WINCKER, P., TELLERIA, J., BOSSENO, M. F., CARDOSO, M. A., MARQUES, P., YAKSIC, N., AZNAR, C., LIEGEARD, P., HONTEBEYRIE, M., NOIREAU, F., MOREL, C. M. and BRENIERE, S. F. PCR-based diagnosis for Chagas' disease in Bolivian children living in an active transmission area: comparison with conventional serological and parasitological diagnosis 367

ZUO, X. and WOO, P. T. K. Natural anti-proteases in rainbow trout, *Oncorhynchus mykiss* and brook charr, *Salvelinus fontinalis* and the *in vitro* neutralization of fish a2-macroglobulin by metalloprotease from the pathogenic haemoflagellate, *Cryptobia salmositica* 375

WEBSTER, M. LIBRANDA-RAMIREZ, B. D. L., ALIGUI, G. D., OLVEDA, R. M., OUMA, J. H., KARIUKI, H. C., KIMANI, G., OLDS, G. R., FULFORD, A. J. C., BUTTERWORTH, A. E. and DUNNE, D. W. The influence of sex and age on antibody isotype responses to *Schistosoma mansoni* and *Schistosoma japonicum* in human populations in Kenya and the Philippines 383

KOOYMAN, F. N. J., VAN KOOTEN, P. J. S., HUNTLEY, J. F., MACKELLAR, A., CORNELISSEN, A. W. C. A. and SCHALLIG, H. D. F. H. Production of a monoclonal antibody specific for ovine immunoglobulin E and its application to monitor serum IgE responses to *Haemonchus contortus* infection 398

PART 5 MAY 1997

UPCROFT, J. A., McDONNELL, P. A., GALLAGHER, A. N., CHEN, N. and UPCROFT, P. Lethal *Giardia* from a wild-caught sulphur-crested cockatoo (*Cacatua galerita*) established *in vitro* chronically infects mice 407

LONGHURST, H. J. and HOLDER, A. A. The histones of *Plasmodium falciparum*: identification, purification and a possible role in the pathology of malaria 413

RABJEAU, A., FOUSSARD, F., MAURAS, G. and DUBREMETZ, J. F. Enrichment and biochemical characterization of *Toxoplasma gondii* tachyzoite plasmalemma 421

SPANO, F., PURI, C., RANUCCI, L., PUTIGANI, L. and CRISANTI, A. Cloning of the entire COWP gene of *Cryptosporidium parvum* and ultrastructural localization of the protein during sexual parasite development 427

SIDDALL, R., KOSKIVAARA, M. and VALTONEN, E. T. *Dactylogyrus* (Monogenea) infections on the gills of roach (*Rutilus rutilus* L.) experimentally exposed to pulp and paper mill effluent 439

PRICE, H. P., DOENHOFF, M. J. and SAYERS, J. R. Cloning, heterologous expression and antigenicity of a schistosome cercarial protease 447

GRAHAM, M. K., FAIRWEATHER, I. and McGEOWN, J. G. The effects of FaRPs on the motility of isolated muscle strips from the liver fluke, *Fasciola hepatica* 455

MAIR, G. R., MAULE, A. G., HALTON, D. W., ORR, D., JOHNSTON, R. N., JOHNSTON, C. F. and SHAW, C. Comparative analysis of the distribution of bradykinin-, GYIRF amide- and neuropeptide F-like immunoreactivities in the monogenean, *Diclidophora merlangi* 467

HRČKOVA, G. and VELEBNY, S. Effect of praziquantel and liposome-incorporated praziquantel on peritoneal macrophage activation in mice infected with *Mesocestoides corti* tetrathyridia (Cestoda) 475

GREWAL, P. S., MATSUURA, M. and CONVERSE, V. Mechanisms of specificity of association between the nematode *Steinernema scapterisci* and its symbiotic bacterium 483
PATEL, M. N., STOLINSKI, M. and WRIGHT, D. J. Neutral lipids and the assessment of infectivity in entomopathogenic nematodes: observations on four *Steinernema* species 489
GRENIER, E., CATZEFFIS, F. M. and ABAD, P. Genome sizes of the entomopathogenic nematodes *Steinernema carpocapsae* and *Heterorhabditis bacteriophora* (Nematoda: Rhabditida) 497

PART 6 JUNE 1997

HASSAN ALIN, M. *In vitro* susceptibility of Tanzanian wild isolates of *Plasmodium falciparum* to artemisinin, chloroquine, sulfadoxine/pyrimethamine and mefloquine 503
MORALES, G., CARRILLO, G., REQUENA, J. M., GUZMAN, F., GOMEZ, L. C., PATARROYO, M. E. and ALONSO, C. Mapping of the antigenic determinants of the *Leishmania infantum* gp63 protein recognized by antibodies elicited during canine visceral leishmaniasis 507
GOMES, M. A., SILVA, E. F., MACEDO, A. M., VAGO, A. R. and MELO, M. N. LSSP-PCR for characterization of strains of *Entamoeba histolytica* isolated in Brazil 517
TOSI, L. R. O., CASAGRANDE, L., BEVERLEY, S. M. and CRUZ, A. K. Physical mapping across the dihydrofolate reductase-thymidylate synthase chromosome of *Leishmania major* 521
MARKS, N. J., MAULE, A. G., HALTON, D. W., GEARY, T. G., SHAW, C. and THOMPSON, D. P. Pharmacological effects of nematode FMRF amide-related peptides (FaRPs) on muscle contractility of the trematode *Fasciola hepatica* 531
FAN, P. C., CHUNG, W. C., EOM, K. S. and ITO, A. Vaccination trials against Taiwan *Taenia* eggs in pigs injected with frozen oncospheres of Taiwan *Taenia*, Korea *Taenia*, *T. saginata* or *T. solium* 541
AMBROSIO, J., CRUZ-RIVERA, M., ALLAN, J., MORÁN, E., ERSFELD, K. and FLISSER, A. Identification and partial characterization of a myosin-like protein from cysticerci and adults of *Taenia solium* using a monoclonal antibody 545
PETKEVIČIUS, S., BACH KNUDSEN, K. E., NANSEN, P., ROEPSTORFF, A., SKJØTH, F. and JENSEN, K. The impact of diets varying in carbohydrates resistant to endogenous enzymes and lignin on populations of *Ascaris suum* and *Oesophagostomum dentatum* in pigs 555
GANNICOTT, A. M. and TINSLEY, R. C. Egg hatching in the monogenean gill parasite *Discocotyle sagittata* from the rainbow trout (*Oncorhynchus mykiss*) 569
SALGADO-MALDONADO, G. and KENNEDY, C. R. Richness and similarity of helminth communities in the tropical cichlid fish *Cichlasoma urophthalmus* from the Yucatan Peninsula, Mexico 581
PATEL, M. N. and WRIGHT, D. J. Glycogen: its importance in the infectivity of aged juveniles of *Steinernema carpocapsae* 591
GLAZER, I. Effects of infected insects on secondary invasion of steinernematid entomopathogenic nematodes 597
URWIN, P. E., LILLEY, C. J., McPHERSON, M. J. and ATKINSON, H. J. Characterization of two cDNAs encoding cysteine proteinase from the soybean cyst nematode *Heterodera glycines* 605